






KATZ DISPLAY BOARD

the eco solution



KATZ DISPLAY BOARD

the eco solution

KATZ DISPLAY BOARDS – A GREAT CHOICE FOR SUSTAINABILITY AND MUCH MORE BESIDES.....

Our special wood pulp-based material – which is laminated with paper on both sides – offers the advertising industry a prime space for promotional and advertising materials. At the same time, it provides the printing industry with an eco-friendly alternative to mineral oil-based POS materials such as foam board and PVC signage. Thanks to our wide range of lamination options, thicknesses and formats, KATZ DISPLAY BOARDS are suitable for all sorts of different applications. And the benefits they offer make them the perfect choice for your advertising and communication needs!

KATZ DISPLAY BOARD *the eco solution* glazed



„THE BOTTOM LINE? TOP-QUALITY PRINTING!“

Laminated on both sides with paper, KATZ DISPLAY BOARD glazed offers significant advantages over plastic boards in terms of cut edge quality and printability. Thanks to its top-notch features and quality, it has been incorporated in the HP Media Solutions Locator and used in various cooperative partnerships including applications at trade fairs and demonstration centres worldwide.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,18mm	± 6%	725g/m ²
1,6mm	± 6%	910g/m ²
2,0mm	± 6%	1125g/m ²
3,0mm	± 6%	1495g/m ²
5,0mm	± 6%	2320g/m ²

PRINTING TECHNIQUES | Offset printing (1.18 mm litho offset board) | digital printing | screen printing

PAPER LAMINATION | Woodfree half mat coated illustration printing paper with excellent whiteness | 150 g/m²

KATZ DISPLAY BOARD *the eco solution* outdoor



„INDOORS OR OUTDOORS, THE CHOICE IS YOURS...“

Equipped with unique KATZ hydro-tec technology*, 'KATZ DISPLAY BOARDS outdoor' offer outstanding weather-resistant properties which ensure optimum print quality is maintained even after days out in the open air. What's more, they are easy to handle and work with and can be recycled together with standard wastepaper. All this makes KATZ DISPLAY BOARD the perfect choice for your short-term outdoor advertising needs and a genuinely eco-friendly alternative to PE-coated materials.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,2mm	± 6%	655g/m ²
1,6mm	± 6%	840g/m ²
2,0mm	± 6%	1055g/m ²
3,0mm	± 6%	1425g/m ²

PRINTING TECHNIQUES | Digital printing | screen printing | solvent & latex

PAPER LAMINATION | Woodfree halfmat coated poster paper for outdoor use | 115 g/m²

*Water-repellent Katz Display Board. Not suitable for long-term outdoor use. The product may be used outdoors for a period of several weeks in typical central European weather conditions without an average person noticing any visible change in the original print quality. However, increasing humidity will lead to the reduction in stiffness which is typical of paper and to deformation of the display board. We therefore recommend limiting continuous outdoor use of the display board to a maximum of 12 weeks.

KATZ DISPLAY BOARD *the eco solution* aqua-ink



„SHARPER AND CLEARER THAN EVER“

Our KATZ DISPLAY BOARD aqua-ink ensures clear, sharp printing of your images and photos – and its double-sided lamination with poster paper enables photorealistic rendering and excellent contrast. This board also stands out for its good flatness and quick drying times. All this makes KATZ DISPLAY BOARD aqua-ink the perfect partner for flexible inkjet printing with water-based inks.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,18mm	± 6%	705g/m ²

PRINTING TECHNIQUES | Water-based inkjet printing

PAPER LAMINATION | Special poster paper, compatible with water-based inks | 140g/m²

KATZ DISPLAY BOARD *the eco solution* canvas



„CHANNEL YOUR INNER PICASSO THROUGH DIGITAL AND SCREEN PRINTING!“

Laminated with paper on one or both sides, KATZ DISPLAY BOARD canvas gives your images and prints greater visual depth and a three-dimensional effect by replicating the look and feel of a canvas material. Forget about buying canvases and mounting them in wooden frames – simply choose KATZ DISPLAY BOARD canvas to get the artistic quality you're looking for while also saving time and money!

SPECIFICATIONS (Grammage one sided | both sided)

THICKNESS	TOLERANCE	GRAMMAGE
1,2mm	± 7%	695g/m ² 665g/m ²
1,7mm	± 7%	880g/m ² 850g/m ²
2,1mm	± 7%	1040g/m ² 1010g/m ²
3,1mm	± 7%	1465g/m ² 1435g/m ²

PRINTING TECHNIQUES | Offset printing | digital printing | screen printing

PAPER LAMINATION | High-quality nature paper with embossed canvas structure. Back side with 1-sided glazed paper lamination: woodfree half mat coated illustration printing paper with excellent whiteness | 150g/m²

KATZ DISPLAY BOARD *the eco solution* unlined



„SOMETIMES LESS IS DEFINITELY MORE!“

Embrace the sustainability trend with our KATZ DISPLAY BOARDS unlined! These non-laminated boards have a great feel to them and score highly for their totally natural surface. Whether you choose them for large-format laminating or printing, KATZ DISPLAY BOARDS unlined can be used in all sorts of different applications with a wide range of finishing options.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
0,9mm	± 6%	375g/m ²
1,2mm	± 6%	500g/m ²
1,4mm	± 6%	560g/m ²
1,6mm	± 6%	640g/m ²
1,8mm	± 6%	720g/m ²
2,0mm	± 6%	769g/m ²

PRINTING TECHNIQUES | Offset printing | digital printing | screen printing

KATZ DISPLAY BOARD *the eco solution* fix



„FIX ALL YOUR DISPLAY BOARD NEEDS WITH KATZ DISPLAY BOARDS FIX!“

These boards from KATZ can be used for a wide range of applications and are designed to make life simpler. Thanks to the adhesive layer on one or both sides, it couldn't be easier to mount your advertising messages on the wall. KATZ DISPLAY BOARDS fix also provide a stable background for clearly displaying printed images and photos in your presentations.

SPECIFICATIONS (Grammage one sided adhesive layer)

THICKNESS	TOLERANCE	GRAMMAGE
1,3mm	± 6%	865g/m ²
1,8mm	± 6%	1050g/m ²
2,2mm	± 6%	1265g/m ²

SPECIFICATIONS (Grammage both sided adhesive layer)

THICKNESS	TOLERANCE	GRAMMAGE
1,5mm	± 6%	1005g/m ²
2,0mm	± 6%	1190g/m ²
2,4mm	± 6%	1405g/m ²

PRINTING TECHNIQUES | For boards which have an adhesive layer on just one side, digital & screen printing can be used on the glazed liner to the rear of the board.

PAPER LAMINATION (ONE SIDED ADHESIVE LAYER) |

Back side: woodfree half mat coated illustration printing paper with excellent whiteness | 150g/m²

KATZ DISPLAY BOARD *the eco solution* black



CLASSIC, TIMELESS AND ELEGANT – THAT'S THE BLACK EDITION FROM KATZ.

The KATZ DISPLAY BOARD black edition is the perfect choice for mood boards and a great material for presenting your ad campaigns, ideas and creative work, as well as for model building and passepartout designs.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,2 mm	± 6 %	695 g/m ²
1,6 mm	± 6 %	880 g/m ²
2,0 mm	± 6 %	1040 g/m ²
3,0 mm	± 6 %	1465 g/m ²

PRINTING TECHNIQUES | Outstanding print quality for white ink digital printing | screen printing

PAPER LAMINATION | Woodfree mat coated and black solid-coloured high-quality printing paper

KATZ DISPLAY BOARD *the eco solution* neon



„OUR KATZ DISPLAY BOARD NEON LIGHTS UP THE WORLD...“

...making your advertising even more attention-grabbing and eye-catchingly different. After all, advertising only works if people notice it! And our boards have yet another advantage over other advertising media – even when it's dark – because their fluorescent properties make them light up in ultraviolet light. KATZ DISPLAY BOARD neon is available in the standard colours of neon yellow, neon orange, neon green, and neon pink.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,2 mm	± 6 %	607 g/m ²
1,6 mm	± 6 %	792 g/m ²
2,0 mm	± 6 %	952 g/m ²
3,0 mm	± 6 %	1377 g/m ²

PRINTING TECHNIQUES | Offset printing | digital printing | screen printing

PAPER LAMINATION | Fluorescent neon coloured paper

KATZ DISPLAY BOARD *the eco solution* metallic



„KATZ DISPLAY BOARD METALLIC ADDS A SHINE TO ANY APPLICATION...“

with its unmistakable, eye-catching silver metallic effect and outstanding printability. It's easy to create a range of glossy effects using white ink printing and software-assisted CMYK solutions.

SPECIFICATIONS

THICKNESS	TOLERANCE	GRAMMAGE
1,1 mm	± 6 %	667 g/m ²
1,6 mm	± 6 %	852 g/m ²
2,0 mm	± 6 %	1067 g/m ²
3,0 mm	± 6 %	1437 g/m ²

PRINTING TECHNIQUES | Outstanding print quality for white ink digital printing | screen printing | limited offset printing (with foil inks)









PAPER LAMINATION | Metallic coated, woodfree silver paper



ADVANTAGES

-  environmentally friendly
-  recyclable
-  excellent printing properties
-  printable on both sides
-  good cutting properties with a light cutting edge
-  dimensionally stable
-  high density with low weight
-  reduces costs of waste disposal
-  available in various laminations, thicknesses and sizes

APPLICATIONS

-  indoor
-  hanging signs and advertising boards
-  POS displays
-  presentations, decoration and model construction
-  advertising materials e.g. flyers, mailings
-  creative and craft supplies
-  picture and photo prints
-  frameboard

KATZ DISPLAY BOARDS GLAZED HAVE BEEN SUCCESSFULLY PRINTED AND CUT ON:
UV digital flatbed



FUJIFILM

Offset



Digital cutting







KATZ DISPLAY BOARD
the eco solution

 read news about The KATZ Group on www.thekatzgroup.com/googleplus

 read news about The KATZ Group on www.thekatzgroup.com/facebook

 tweet about #KATZDISPLAYBOARD @THEKATZGROUP

 watch all of our products on www.thekatzgroup.com/youtube

 keep yourself updated on www.thekatzgroup.com/linkedin

KATZ GmbH & Co. KG
Hauptstr. 2
76599 Weisenbach
Phone +49 7224 647 0
Fax +49 7224 647 10 165
office@thekatzgroup.com
www.thekatzgroup.com

www.pos-boards.de